Notice of Allowability	Application No.	Applicant(s)
	10/634,471	OSTERGARD ET AL.
	Examiner	Art Unit
	Jean E. Lesperance	2629
The MAILING DATE of this communication appears all claims being allowable, PROSECUTION ON THE MERITS I herewith (or previously mailed), a Notice of Allowance (PTOL-8: NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3: 1. This communication is responsive to the amendment file. 2. The allowed claim(s) is/are 1, 4, 13-20, 26-38, and renum. 3. Acknowledgment is made of a claim for foreign priority.	S (OR REMAINS) CLOSED in this ap 5) or other appropriate communicatio RIGHTS . This application is subject 13 and MPEP 1308. d September 30,2006. mbered as 1-23.	oplication. If not included n will be mailed in due course. THIS
a) ☐ All b) ☐ Some* c) ☐ None of the:		
Certified copies of the priority documents have		
2. Certified copies of the priority documents ha		
3. Copies of the certified copies of the priority of	documents have been received in this	national stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
 A SUBSTITUTE OATH OR DECLARATION must be sub- INFORMAL PATENT APPLICATION (PTO-152) which gi 		
5. CORRECTED DRAWINGS (as "replacement sheets") me	ust be submitted.	
(a) including changes required by the Notice of Draftspe	erson's Patent Drawing Review (PTO	-948) attached
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date	_ ·	
(b) including changes required by the attached Examine Paper No./Mail Date	er's Amendment / Comment or in the (Office action of
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on the drawing the header according to 37 CFR 1.121	ngs in the front (not the back) of (d).
 DEPOSIT OF and/or INFORMATION about the dep attached Examiner's comment regarding REQUIREMENT 	osit of BIOLOGICAL MATERIAL I T FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the AL MATERIAL.
Attachment(s)	5 	
1. Notice of References Cited (PTO-892)	5. Notice of Informal F	••
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	Paper No./Mail Da	te/
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. 🗌 Examiner's Amendi	ment/Cor/infent
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. ⊠ Examiner's Stateme	ent of Reasons for Allowance RICHASI NUERFE
	SUPER TEC	RECES TRETAR VROEN RECES RETUEN YROLOGIA

e 3 . 8

DETAILED ACTION

1. The amendment filed September 1, 2006 is entered and claims 1, 4, 13-20, 26-38 are pending.

Allowable Subject Matter

- 2. Claims 1, 4, 13-20, 26-38 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: the claimed invention is directed to a double-sided keyboard for entering information in an electronic device.

Independent claim 1 identifies a uniquely distinct feature "wherein the electrically conductive members comprise a plurality of dome-shaped segments for making electrical contact with the circuit board to activate the circuit board for providing the signals, and wherein the dome-shaped segments are shared with the first and second plurality of keys such that each dome-shaped segment can be caused to make electrical contact with the circuit board by either one of the first plurality of keys or one of the second plurality of keys".

Independent claim 26 identifies a uniquely distinct feature "a second user interface disposed on the second side of the keyboard and capable of interacting with the circuit for providing further signal indicative of the information, wherein the circuit connector can be attached to the device connector for conveying the signals from the circuit to the device body either in a first connecting position such that the first side is

oriented in a direction substantially the same as the device direction so as to allow the user to enter the information via the first user interface, or in a second connecting position such that the second side is oriented in a direction substantially the same as the device orientation so as to allow the user to enter the information via the second user interface".

Independent claim 32 identifies a uniquely distinct feature "a second user interface disposed on the second side of the keyboard and capable of interacting with the circuit for providing further signal indicative of the information, wherein the circuit connector is electrically connected to the device connector for conveying the signals from the keyboard to the device body when the keyboard is attached to the device body, and wherein the circuit connector can be electrically connected to the device connector either in a first position to allow a user to access the first user interface, or in a second position to allow a user to access the second user interface".

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Bowen et al. (6,046,730) and Paajanen et al. (5,189,632).

The closest arts, Bowen et al. and Paajanen et al. as discussed above, either singularly or in combination, fail to anticipate or render obvious the above limitations obvious.

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/634,471

Art Unit: 2629

Page 4

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean Lesperance whose telephone number is (571) 272-7692. The examiner can normally be reached on from Monday to Friday between 10:OOAM and 6:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Hjerpe, can be reached on (571) 272-7691.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to:

(571) 273-8300 (for Technology Center 2600 only)

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal drive, Arlington, VA, Sixth Floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.

Jean Lesperance

Art Unit 2629

Date 9/30/2006

SUPERVISORY PATERT EXAMINER

TECHNOLOGY CENTER 2600